

Aquivion® PW98

Perfluorosulfonic Acid

Solvay Specialty Polymers

Описание материалов:

Aquivion® PW98 is a coarse, acid powder based on the short-side-chain (SSC) copolymer of Tetrafluoroethylene and the Sulfonyl Fluoride Vinyl Ether (SFVE) $CF_2=CF-O-(CF_2)_2-SO_2F$ produced by Solvay. The resulting perfluoropolymer's functional groups are in their sulfonic acid form, SO_3H . Aquivion® PW98 exhibits ionic exchange capacity and it can be used as is under conditions where conventional exchange resins have shown insufficient chemical resistance. Given the resin's superacid functionality with many active groups it can also be used either directly or as an ingredient of composite structures active as heterogeneous catalysts. This encompasses a wide range of organic syntheses and respective reaction mechanisms. PW98 is characterized by a high degree of polymer crystallinity. It is insoluble in water, acid or bases and in most solvents unless extreme conditions are applied.

Furthermore, Aquivion® PW98 can be dissolved in some organic solvents to produce ion exchange capacity membranes. Proper organic solvents are dipolar aprotic such as N-ethyl-2-pyrrolidone (NEP) and dimethyl sulfoxide. To facilitate the dissolution, slightly increase the temperature to 50-60°C.

Главная Информация			
Внешний вид	Белый		
Формы	Порошок		
Физический	Номинальное значение	Единица измерения	Метод испытания
Эквивалент (EW) ¹	940 - 1020	g/eq	Internal method
Moisture Content	5.0	wt%	
Общее содержание кислоты	0.980 - 1.06	meq/g	Internal method

Дополнительная информация
HEALTH, SAFETY AND ENVIRONMENT Aquivion® powders are not harmful if used and handled according to standard processing procedures, such as those outlined in "The Guide to the Safe Handling of Fluoropolymer Resins" issued by the Society of the Plastics Industry. If handled inappropriately, membranes may release harmful toxic chemicals. Please refer to corresponding Material Safety Data Sheets for more information on handling and safety.
PACKAGING, SHIPMENT AND STORAGE Aquivion® powders are delivered in standard polypropylene bottles and drums. Products should be kept closed in their original packaging.

NOTE

1. eq = mol SO_3H

* Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519
Мобильный телефон: +86-13424755533
Email: sales@su-jiao.com
Адрес: Господин Чжао
Район Фэнсянь, Шанхай, Китай

