

Bluestar Epoxy WSR6101

Epoxy; Epoxide

Bluestar New Chemical Materials Co. Ltd

Описание материалов:

Bisphenol-A liquid epoxy resin

Applications: This product is general epoxy resin. It has fine electricity insulating property, good cohesiveness and good property for process operation. It is used widely to prepare non-solvent or less-solvent coatings, glass fiber reinforced plastics, composite, adhesive, casting, etc.

Главная Информация		
Характеристики	Электрически изолирующий	
	Хорошая технологичность	
	Высокая вязкость	
Используется	Клеи	
	Нанесение покрытия	
Внешний вид	Прозрачный-светло-желтый	
Формы	Жидкость	
Метод обработки	Литье	
Тепловой	Номинальное значение	Единица измерения
Softening Point	12 to 32	°C
Epoxy Equivalent	213 to 270	g/eq
Испарители	< 1.0	%

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао

Район Фэнсянь, Шанхай, Китай

