

Silmar® SIL90BA-1247

Thermoset Polyester

Interplastic Corporation

Описание материалов:

As pioneers in marble casting resins, Silmar offers hundreds of top-of-the-line resin solutions for your manufacturing processes. The industry's most successful and widely used resin is SIL90BA-585. It offers medium viscosity for high filler loading and reduced cost. SIL90BA-1247 is a high-viscosity, moderate gel and cure, low color casting resin.

Главная Информация			
Характеристики	Высокая вязкость		
Используется	Аксессуары для ванной комнаты		
Дополнительная информация	Номинальное значение	Единица измерения	
Gel to Peak	12.0 to 18.0		
Uncured Properties	Номинальное значение	Единица измерения	
Вязкость ¹ (Brookfield HBT)	2.2 to 3.2	Pa·s	
Gel Time	14 to 20	min	
NOTE			
1.	RV# Spindle at 20 RPM		

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао

Район Фэнсянь, Шанхай, Китай

