

TABOREX TA 2144 HD

Thermoplastic

SILON s.ro

Описание материалов:

Masterbatch for the use with SILON Silane crosslinkable PE-Xb Compounds TABOREX.

TABOREX TA 2144 HD contains the cross-linking catalyst and a stabilizer package. Together with Silon's Silane grafted TABOREX Compounds this masterbatch completes a Sioplas System (PE-Xb) and provides processing and long term stability to the final product.

Application: TABOREX TA 2144 HD is a catalyst masterbatch according to the Sioplas system for the production of pipes for sanitary and heating applications.

Главная Информация			
Характеристики	Crosslinkable		
	Приемлемый пищевой контакт		
Используется	Маточная смесь		
Рейтинг агентства	BfR пищевой контакт, неуказанный рейтинг		
	FDA неуказанный рейтинг		
Внешний вид	Непрозрачный		
	Белый		
Формы	Гранулы		
Метод обработки	Экструзия		
Физический	Номинальное значение	Единица измерения	Метод испытания
Удельный вес	0.960	g/cm³	ASTM D792
Видимая плотность	0.53	g/cm ³	ASTM D1895
Массовый расход расплава (MFR)			
(190°C/2.16 kg)	8.0	g/10 min	ASTM D1238
Влага	< 0.010	%	

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао Район Фэнсянь, Шанхай, Китай



