

Sumiliteresin® PR-1012 KI

Phenolic

SBHPP

Описание материалов:

SUMILITERESIN® PR-1012 KI is a High reactive of standard straight novolac type powder. It is applied for Brake Lining and Disc Pad. Characteristics

SUMILITERESIN® PR-1012 KI is powder phenolic resin with good friction properties, good process, and other merit in production of friction. It has hexamine content 9%, middle molecule weight and high reactive. By these kind of properties, It is suitable to apply in brake lining and disc pad with many advantages in friction manufacture such as short time in hot molding process and post curing.

Главная Информация			
Характеристики	Высокореактивная		
	Обрабатываемость, хорошая		
	Средний Молекулярный вес		
Внешний вид	Белый		
	Желтый		
Формы	Порошок		
Физический	Номинальное значение	Единица измерения	
Длина потока (125°C)	3.50 - 5.00	cm	
Анализ сита-106µm		%	
Тепловой	Номинальное значение	Единица измерения	
Температура плавления	95.0 - 105	°C	
Uncured Properties	Номинальное значение	Единица измерения	
Gel Time (150°C)	0.83 - 1.2	min	

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао Район Фэнсянь, Шанхай, Китай



