

Sinpolene MBB2751

Linear Low Density Polyethylene

Teknor Apex Asia Pacific PTE. LTD.

Описание материалов:

SINPOLENE MBB2751 is a modified copolymer based black masterbatch designed specifically for use in injection moulding and extrusion of polyolefins, polystyrene and ABS. SINPOLENE MBB2751 has high pigment loading and thus offers high coloring value with superior quality and performance.

SINPOLENE MBB2751 is delivered as free flowing pellets for processing convenience.

CHARACTERISTICS

- * Easy processing
- * Good dispersion
- * High jetness
- * Minimal wear effect on processing equipment

Главная Информация	
Характеристики	Универсальный
Используется	Композитный
Соответствие RoHS	Соответствие RoHS
Формы	Частицы
Метод обработки	Композитный
	Литье под давлением

Физический	Номинальное значение	Единица измерения	Метод испытания
Удельный вес	1.20	g/cm ³	ASTM D792
Массовый расход расплава (MFR)			
(190°C/21.6 kg)	< 20	g/10 min	ASTM D1238
Содержание черного углерода	45	%	ASTM D1603
Moisture Content		%	ASTM D3030

Recommended dosage: 1 - 3%

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао

Район Фэнсянь, Шанхай, Китай

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.



