

Durez® 33675

Phenolic

Sumitomo Bakelite North America, Inc.

Описание материалов:

Durez 33675 is an acrylic modified two-step, powder phenolic resin.

Durez 33675 is recommended for use in the manufacture of brake pads and truck blocks, Bonded Abrasives, and wherever an impact resistant, flexible resin is needed.

low noise properties for friction products.

enhanced flexibility and impact resistance over conventional phenolics.

processes as a standard phenolic.

Главная Информация			
Характеристики	Bondability		
	Хорошая гибкость		
	Хорошая ударопрочность		
Используется	Автомобильные Приложения		
Формы	Порошок		
Термокомплект	Номинальное значение	Единица измерения	Метод испытания
Время доставки (150°C)	0.024	hr	
Дополнительная информация	Номинальное значение	Единица измерения	Метод испытания
Гекса	9.0	%	Internal Method
Наклонная пластина потока (125°C)	4.20	cm	Internal Method
Сетка для экрана ¹	< 3.0	%	Internal Method
NOTE			
1.	200 Mesh		

^{*} Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

Свяжитесь с нами

Susheng Import & Export Trading Co.,Ltd.

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com Адрес: Господин Чжао Район Фэнсянь, Шанхай, Китай



