

## MarFlex® 9608

High Density Polyethylene

Chevron Phillips Chemical Company LLC

## Описание материалов:

MarFlex® 9608 is a High Density Polyethylene material. It is available in Latin America or North America for extrusion coating. Important attributes of MarFlex® 9608 are:

Chemical Resistant

Good Processability

Good Stiffness

Scratch Resistant

Typical applications include:

Packaging

Additive/Masterbatch

Bags/Liners

Главная Информация			
Характеристики	Хорошая технологичность		
	Хорошая жесткость		
	Устойчивость к смазке		
	Низкий гель		
	Устойчивость к царапинам		
Используется	Смешивание		
	Пищевая упаковка		
	Вкладыши		
	Упаковка		
Формы	Гранулы		
Метод обработки	Экструзионное покрытие		
Физический	Номинальное значение	Единица измерения	Метод испытания
Плотность	0.962	g/cm³	ASTM D1505
Массовый расход расплава (MFR) (190°C/2.16 kg)	8.0	g/10 min	ASTM D1238

<sup>\*</sup> Отказ от ответственности: Информация на этой странице предоставлена производителем, и поставщик документа не несет никакой юридической ответственности. Все права защищены. Пожалуйста, немедленно свяжитесь с нами в случае каких-либо нарушений.

## Свяжитесь с нами

## **Susheng Import & Export Trading Co.,Ltd.**

Телефон: +86-021-58958519

Мобильный телефон: +86-13424755533

Email: sales@su-jiao.com



Адрес: Господин Чжао

Район Фэнсянь, Шанхай, Китай

